

CERTIFICATE OF ANALYSIS



Customer: ELH Products, LLC
15901 SW 29th St, Suite 200
Miramar, FL 33027

Batch #: H3251PC
Laboratory Number: ATL-15574

Report Issue Date: 9/21/2023
Order Date: 9/20/2023
Analysis Date: 9/21/2023

Sample Description:

CBD Muscle and Joint Cream 1000mg

Unit Weight: 4oz / Container



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	1012.662	0.893
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/gummy	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/gummy	%
	N/D	N/D

Total Active Cannabinoids	mg/gummy	%
	1012.66	0.89

Max Active CBD	mg/gummy	%
	1012.66	0.89

Total Cannabinoids	mg/gummy	%
	1012.66	0.89

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDVA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabinol(THCV) Tetrahydrocannabinol(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 04 Effective Date:8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

