

CERTIFICATE OF ANALYSIS



Customer: ELH Products, LLC
15901 SW 29th St, Suite 200
Miramar, FL 33027

Batch #: FS0152-
Laboratory Number: ATL-15136

Report Issue Date: 8/31/2023

Order Date: 8/30/2023

Analysis Date: 8/31/2023

Sample Description:

CBD FS Hempseed Oil Tincture
Unflavored 30ml 1500mg

Unit Weight: 30ml / Bottle



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/bottle	%	Analyte	LOQ (mg/g)	Results mg/bottle	%	Analyte	LOQ (mg/g)	Results mg/bottle	%
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	N/D	CBC	<0.009	29.400	0.098
CBDV	<0.011	24.000	0.080	THCV-A	<0.005	N/D	N/D	CBC-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBN	<0.011	N/D	N/D	THC-A	<0.005	N/D	N/D
CBG-A	<0.008	N/D	N/D	D9-THC	<0.014	61.800	0.206				
CBG	<0.007	48.000	0.160	D8-THC	<0.005	N/D	N/D				
CBD	<0.008	1737.300	5.791	9S-D10-THC	<0.005	N/D	N/D				
THCV	<0.008	N/D	N/D	9R-D10-THC	<0.002	N/D	N/D				

Max Active THC	mg/bottle	%
	61.80	0.21

Total Active Cannabinoids	mg/bottle	%
	1900.50	6.34

Max Active CBD	mg/bottle	%
	1737.30	5.79

Total Cannabinoids	mg/bottle	%
	1900.50	6.34

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDVA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabinol(THC) Tetrahydrocannabinol Acid(THCA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 04 Effective Date: 8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

